



START

INFO.PARSE E-Catalog/2026

محتویات این کاتالوگ متعلق به اینفوپارسه میباشد.

MR_CATALOOOG



گزینه مورد نظر را انتخاب کنید:

درباره اینفوپارسه

About INFOPARSE Company

محصولات

Products

تماس با ما

Contact us

همیشه درجه یک باش

INFOPARSE
E - Catalog/2026




About Us

به دنیای اینفوپارسه خوش آمدید؛ جایی که کیفیت با نوآوری
گره خورده است. نزدیک به دو دهه است که با تکیه بر شعار
"همیشه درجه یک باش" و با اتکا به نخبگان داخلی و
همکاری‌های استراتژیک با شرکت‌های دانش‌بنیان چینی، در خط
مقدم فناوری‌های نمایش تصویر پیشرو بوده‌ایم.

امروز، با پیشرفت شگفت‌انگیز صنعت تصویرسازی، مجموعه‌ای
گسترده از ویدئو پروژکتورهای مقرون‌به‌صرفه و کارآمد را پس از
ارائه دانش فنی پیشرفته لیزر و باندینگ در زمینه ساخت و
تعمیر پنل‌های LCD، برای شما فراهم کرده‌ایم.

چرا اینفوپارسه؟

افتخار می‌کنیم که با بیش از یک دهه تجربه، به عنوان حامی
کسب‌وکارها، ارائه‌دهنده راه‌حل‌های جامع و یکپارچه در حوزه
پنل‌های نمایشگر و ویدئو پروژکتور هستیم.



I N F O P A R S E





Our Services

- تأمین مستقیم و عرضه انواع ویدئو پروژکتور با گارانتی معتبر و قیمت رقابتی

شرایط ویژه برای:

- همکاری با فروشندگان، آموزشگاه‌ها و فعالان صنعت دیجیتال
- فروش عمده و امکان اعطای نمایندگی در سراسر کشور
- پشتیبانی همه‌جانبه فروش و ارائه مشاوره تبلیغاتی و راهکارهای بازاریابی

با تخصص، تعهد و نوآوری در کنار شما هستیم تا تجربه‌ای مطمئن و پایدار را در دنیای نمایش تصویر خلق کنیم. با اینفوپارسه، همیشه درجه یک بمانید.



I N F O P A R S E





گزینه مورد نظر را انتخاب کنید:



T1000



P1800



P1600S



P1700S



P1700





P1600



P1500



HY320 MINI



Technical Specifications			
Image system	LCD	Lamp	LED
Native resolution	1920*1080	max resolution	4k support
Brightness	340ANSI	Contrast	1500:1
Power consumption	65W	Power supply	110-220V 50/60HZ
Wifi	2.4G/5G Dual band WiFi 6 + BT4.2 Module Spec	Picture size	50-300"
Throw distance	1-5M	Product size	186*179*65mm
Aspect ratio	4:3/16:9	Version	android11 1+8g (713 solution) android3 2+32g (716 solution)
N.W.	1KG	Color	White
Input terminal	USB*1/HDMI IN*1/AUDIO*1	Lens	3 pieces glass lens
		Keystone correction	Auto




Technical Specifications			
Image system	LCD	Lamp	LED
Native resolution	1280*720	max resolution	1920*1080
Brightness	300ANSI	Contrast	1500:1
Power consumption	62W	Power supply	110-220V 50/60HZ
Wifi	2.4G/5G/BT5.4	Picture size	40-130"
Throw distance	1-2.5M	Product size	96*189*135 mm
Aspect ratio	4:3/16:9	Version	Android13 2+8g (950S solution, decoding 4K support)
N.W.	1KG	Function	Auto keystone/Digital 4-point keystone correction/Zoom function etc.
Input terminal	USB*1/HDMI *1/AUDIO*1	Lens	3 pieces glass lens
		Operation	Manual/Remote control



P1800



Top selling HA109(Special color need extra)				
Unit packing (LxWxH)	Unit packing (G.W.)	Qty per export carton	Export carton (WxHxL)	Export carton (G.W.)
161X135X170 mm	0.75kg	16PCS	566X342X36 6mm	12.8kg
• OS: Android 11.0 • Brightness: 200 ansi lumens • Projection display: 1280*720P • Video: 4K*2K • Smart wireless screen projection • Dolby audio supported • Projection distance: 1-4M (image size 40inch-120 inch) • LCD size: 2 inch • Throw Ratio: 0.8: 1 • Angle adjustable				
1AV, 1USB, 1*HDMI In				
1GB				
8GB				
Wi-Fi: Dual-band 2.4G/5GHz (802.11 a/b/g/n/ac/ax)				
Bluetooth: BT5.X+				
manual focus / 4 Point Keystone Correction				



P1600S



Technical Specifications

Image system	LCD	CPU	LED
Native resolution	1280*720	max resolution	1920*1080
Brightness	200ANSI	Contrast	1500:1
Power consumption	50W	Power supply	110-220V 50/60HZ
Wifi	2.4G/5G/BT5.1	Picture size	40-130"
Throw distance	1-2.5M	Product size	92*94*233mm
Aspect ratio	4:3/16:9	Version	Android11 1+8g(713 solution, decoding 4K support)
N.W.	0.75KG	Color	White
Input terminal	AUX/USB/HDMI	Lens	3 pieces glass lens



P1700S



Technical Specifications			
Image system	LCD	CPU	LED
Native resolution	1280*720	max resolution	1920*1080
Brightness	300ANSI	Contrast	1500:1
Power consumption	65W	Power supply	110-220V 50/60HZ
Wifi	2.4G/5G/BT5.0	Picture size	40-200"
Throw distance	1-5m	Product size	96*189*135 mm
Aspect ratio	4:3/16:9	Version	Android <u>version</u> (Android12 1+8G Bluetooth 5.0)
N.W.	0.8KG	Color	black
Input terminal	AV/USB/HDMI	Lens	3 pieces glass lens
		Operation	Manual/Remote control




P1700



Technical Specifications

Image system	LCD	Lamp	LED
Native resolution	1280*720	max resolution	4k support
Brightness	150ANSI	Contrast	1500:1
Power consumption	38W	Power supply	110-220V 50/60HZ
Wifi	2.4G/5G Dual band WiFi 6 + BT4.2 Module Spec	Picture size	30-300"
Throw distance	0.5-4M	Product size	154*147*59mm
Aspect ratio	4:3/16:9	Version	android11 1+8g (713 solution)
N.W.	0.5KG	Color	White
Input terminal	USB*1/HDMI IN*1/AUDIO*1	Lens	3 pieces glass lens



P1600



Technical Specifications			
Image system system	LCD	Lamp	LED
Native resolution	1280*720	max resolution	1920*1080
Brightness	150ANSI	Contrast ratio	500:1
Power consumption	45W	Power supply	110-220V 50/60HZ
Wifi	2.4G/5G/BT4.0	CPU/GPU	RK3566/quad-core 4K decoding
Throw distance	1.2-4M	Product size	Diameter 100.8X103.5MM
Aspect ratio	4:3/16:9	Picture size	40-130"
N.W.	0.65KG	Lens	3 pieces glass lens
Input terminal	USB*1/HDMI IN*1/AUDIO*1	Body color	white
		Operation	Manual/Remote control
		Version	Android version (Android12 1+8G Bluetooth 4.0)



Technical Specifications			
Image system system	LCD	Lamp	LED
Native resolution	1280*720	max resolution	4K support
Brightness	200ANSI	Contrast	3/23/1900 8:01:00 AM
Power consumption	40W	Power supply	110-220V 50/60HZ
Wifi	2.4G/5G/BT5.4	Picture size	30-150"
Throw distance	1-4M	Product size	97*84*176MM
Aspect ratio	16:9	Version	Android13 2+8g (950S solution, decoding 4K support)
N.W.	0.8KG	Function	Digital 4-point keystone correction/Zoom function etc.
Input terminal	USB*1/HDMI *1/AUDIO*1/AC*1	Accessory	manual,remote control,power cable
		Keystone correction	Automatic



**HY320
Mini**



Contact Us



تلفن تماس: ۰۲۱_۶۶۹۷۴۴۷۷



همراه: ۰۹۱۲_۷۲۳۹۷۸۹



وبسایت



اینستاگرام

← بازگشت

INFOPARSE
E - Catalog/2026

